

SAFETY DATA SHEET

Version:	1.1
Revision Date:	2015-11-03
Print Date:	2015-11-03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product Number:	D0045
Product name:	Diphenyliodonium hexafluorophosphate
CAS Registry Nr:	58109-40-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Laboratory chemicals, Manufacture of substances.

1.3 Details of the supplier of the safety data sheet

Company:	Chemodex AG
	CH - 9000 St. Gallen
	Switzerland, Europe
	Tel: +41 71 244 48 25
	Fax: +41 71 244 48 26
	Email: info@chemodex.com
	Website: www.chemodex.com

1.4 Emergency telephone number

Tox Info Suisse:	+41 44 251 51 51
-------------------------	------------------

SECTION 2: Hazards identification


2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1B)	H314
Serious eye damage (Category 1)	H318

2.2 Label elements

Labelling according Regulation (EC) No. 1272/2008

Pictogram	
Signal word	Danger

Hazard statement(s)

H314, H318	Causes severe skin burns and eye damage
------------	---

Precautionary statement(s)

P260	Do not breathe dust or mist.
P264	Wash skin thoroughly after handling.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.
P321	Specific treatment (see supplemental first aid instructions on this label).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

Supplemental Hazard Statements:	none
---------------------------------	------

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms:	
Mol. Formula:	C ₁₂ H ₁₀ F ₆ IP
Mol. Weight:	426.08 g/mol
CAS Registry No.:	58109-40-3

Component	Classification	Concentration
Diphenyliodonium hexafluorophosphate	CAS-No. 58109-40-3 Skin Corr. 1B; Eye Dam. 1; H314	-

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Oxides of phosphorus, Hydrogen fluoride, Hydrogen iodide

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and material for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection. For precautions see section 2.2.

7.2 Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.
Protect from light and moisture. Store at +4°C.
Light sensitive. hygroscopic

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance:	Colorless to white solid.
b)	Odour:	No data available
c)	Odour Threshold:	No data available
d)	pH:	No data available
e)	Melting point/freezing point:	140-144°C
f)	Boiling point	
g)	Flash point:	No data available
h)	Evaporation rate:	No data available
i)	Flammability (solid, gas):	No data available
j)	Upper/lower flammability or explosive limits:	No data available
k)	Vapour pressure:	No data available

l)	Vapour density:	No data available
m)	Relative density:	
n)	Solubility:	Soluble in DMSO.
o)	Partition coefficient (n-octanol/water):	No data available
p)	Auto-ignition temperature:	No data available
q)	Decomposition temperature:	No data available
r)	Viscosity:	No data available
s)	Explosive properties:	No data available
t)	Oxidizing properties:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable for at least 2 years under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Carcinogenicity
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Reproductive toxicity
No data available
Specific target organ toxicity - single exposure
No data available
Specific target organ toxicity - repeated exposure
No data available
Aspiration hazard
No data available
Additional Information
RTECS: Not available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information**14.1 - 14.5 UN number and proper shipping name, Transport hazard class(es), Transport hazard class(es), Environmental hazards****ADR/RID**

UN number:	UN1759	Class:	8	Packing group:	III
Proper shipping name:	Corrosive solids, n.o.s. (Diphenyliodonium hexafluorophosphate)				
Environmental hazards	No data available				

IMDG

UN number:	UN1759	Class:	8	Packing group:	III
Proper shipping name:	CORROSIVE SOLID, N.O.S. (Diphenyliodonium hexafluorophosphate)				
Environmental hazards	No data available				

IATA

UN number:	UN1759	Class:	8	Packing group:	III
Proper shipping name:	Corrosive solid, n.o.s. (Diphenyliodonium hexafluorophosphate)				
Environmental hazards	No data available				

SECTION 15: REGULATORY INFORMATION**SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Diphenyliodonium hexafluorophosphate

CAS-No.

58109-40-3

Revision Date

New Jersey Right To Know Components

Diphenyliodonium hexafluorophosphate

CAS-No.
58109-40-3
Revision Date

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Eye Dam.	Serious eye damage
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
Skin Corr.	Skin corrosion

HMIS Rating

Health hazard: 3
Chronic Health Hazard:
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 0

Further information

©2015 Chemodex Ltd. License granted to make unlimited paper copies for internal use only.
The above information is believed to be correct but shall not be taken as being all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Chemodex Ltd. and its affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.chemodex.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.